




QUALITY CONTROL DEPARTMENT

-: Certificate of Analysis Finished Good: -

Name of Product	: Muscle XP Beginner's Protein Belgium Chocolate Flavour 1 Kg	A.R. No.	: TWN/FPF0414/22
Protocol No.	: TWN/QCD/TDF-0281-00	Received Date	: 25/04/2022
Batch No.	: EMB22036	Date of Release	: 02/05/2022
Mfg. Date	: Apr. 2022	Batch Size	: 170 Kg
Best Before	: 24 months from mfg.	Sampled Qty.	: 1 Pouch
Specification No.	: TWN/FPS/0279-00	Sampled By	: Mr. Ankit

Sr.No.	Tests	Specifications	Observation	
1.	Description	Brown colored belgium chocolate flavored powder.	Brown colored belgium chocolate flavored powder.	
2.	Sensory Evaluation (30 g powder into 150 ml of water)	Brown colored belgium chocolate flavored suspension.	Brown colored belgium chocolate flavored suspension.	
3.	pH (10% solution)	Between 5.50 to 7.50	6.64	
4.	Loss on drying(By Oven at 105° for 3hrs)	Not more than 5.50 % w/w	3.14 %w/w	
5.	Density			
	Untapped	Between 0.35 to 0.55 g/ml	0.39 g/ml	
	Tapped	Between 0.40 to 0.60 g/ml (100 Taps)	0.57 g/ml	
Assay: Per 100 g powder contains :				
6.	Content	Claim	Limit	Result
	Sodium	270.0 mg	NLT 90% of Labeled amount (i.e. NLT 243.00 mg) of Sodium.	299.23 mg 110.8 %
	Protein	40.0 g	NLT 90% of Labeled amount (i.e. NLT 36.00 mg) of Protein	39.39 g 98.5 %

Signatories	Prepared By:	Checked By:	Approved By:
Name	Jyoti Chavhan	Geetajali Rawat	Vinod Kumar
Designation/Dept.	Sr. Officer/Q.C	Executive, I/O	Asst. Manager/O.S
Signature/Date	[Signature] 02/05/2022	[Signature] 02/05/2022	[Signature] 02/05/2022





Tirupati
Wellness

Tirupati Wellness Private Limited

Surajpur, Nahar Road, Paonta Sahib, Dist. Sirmour, Himachal Pradesh - 173025, India.

QUALITY CONTROL DEPARTMENT

-: Certificate of Analysis Finished Good: -

Name of Product	: Muscle XP Beginner's Protein Belgium Chocolate Flavour 1 Kg	A.R. No.	: TWN/FPF0414/22
Protocol No.	: TWN/QCD/TDF-0281-00	Received Date	: 25/04/2022
Batch No.	: EMB22036	Date of Release	: 02/05/2022
Mfg. Date	: Apr. 2022	Batch Size	: 170 Kg
Best Before	: 24 months from mfg.	Sampled Qty.	: 1 Pouch
Specification No.	: TWN/FPS/0279-00	Sampled By	: Mr. Ankit

8.	Microbial Limit Test		
	Total Aerobic Count	NMT 10,000 cfu/g	900 cfu/g
	Total Fungal Count	NMT 1000 cfu/g	<10 cfu/g
	Pathogens:		
	<i>E coli</i>	Should be absent/g	Absent/g
	<i>Salmonella species</i>	Should be absent/25g	Absent/25g
	<i>Pseudomonas aeruginosa</i>	Should be absent/g	Absent/g
	<i>Staphylococcus aureus</i>	Should be absent/g	Absent/g

Remark: All test parameter of the sample complies / ~~does not comply~~ as per the specification.

Signatories	Prepared By:	Checked By:	Approved By:
Name	Jyoti Chandelhary	Geetajali Rawat	Vinay Kumar
Designation/Dept.	sr. officer Q.C	Executive IOL	Asst. Manager
Signature/Date	 02/05/2022.	 02/05/2022	 02/05/2022